

LAND PREVIOUSLY UNDER DECKING SHALL BE CONVERTED TO LAWN SPACE, MAINTAIN NATURAL SLOPE TOWARD THE LAKE.

WALKWAY BETWEEN STEPS SHALL BE NATURAL FLAG STONE ON CRUSHED STONE BASE. LARGE VOID SPACE TO PROMOTE INFLITRATION OF STORMWATER.

- NATURAL STONE PAVER PATIO (APPROXIMATELY 85 S.F.)


- Segmental Concrete Block Retaining Wall (Maximum Height 30" With Sides Faded Back Into Natural Slope)

- 50-FT BUFFER

EDGE OF RESOURCE AREA

25-FT BUFFER

LAYOUT/MATERIALS



EDGE OF RESOURCE AREA

LANDSCAPE NOTES

1. UNLESS OTHERWISE NOTED, ALL EXISTING TREES AND OTHER PLANT MATERIAL TO BE PROTECTED FOR THE OURANION OF THE PROJECT.

2. PRIOR TO THE PRE-CONSTRUCTION MEETING, CONTRICTOR SHALL CALL DIG SAFE CONTRICTOR SHALL CONTRICTOR SHALL MAINTAIN MARKINGS COMPLETE THE PLANTIME PLANT AS SHOWN ON THE PLANT.

3. HAL PLANT MATERIAL TO CONFORM TO THE GUIDELINES ESTABLISHED BY THE AMERICAN ASSOCIATION OF NURSERY STOCK," PUBLISHED BY THE AMERICAN ASSOCIATION OF NURSERY STOCK," PUBLISHED BY THE MAISSOCAP REPRETECT.

3. ALL PLANT MATERIAL TO BE APPROVED BY THE LANGSCAPE ARCHITECT.

3. ALL PLANT MATERIAL TO BE APPROVED BY THE LANGSCAPE ARCHITECT.

4. ALL PLANT MATERIAL TO BE APPROVED BY THE LANGSCAPE ARCHITECT.

4. ALL PLANT MATERIAL TO BE APPROVED BY THE LANGSCAPE ARCHITECT.

5. ALL PLANT MATERIAL TO BE APPROVED BY THE LANGSCAPE ARCHITECT.

5. ALL PLANT MATERIAL TO BE APPROVED BY THE LANGSCAPE ARCHITECT.

6. ALL PLANT MATERIAL TO BE APPROVED BY THE LANGSCAPE ARCHITECT.

6. ALL PLANT MATERIAL CONSIST OF A 8" LAYER SCREENED LOAM AND A 3" LAYER SHREDDED PINE BARK MULCH.

8. EDGE OF MULCH BEDS TO BE MECHANICALLY EDGED.

9. ALL DISTURBED AREAS NOT SHOWN AS PAVEMENT, MULCH BEDS, OR OTHER SPECIFIED MATERIAL SHALL RECEIVE A MINIMUM 4" LAYER OF LOAM MID SEED.

10. LANGSCAPE ARCHITECT OF THE PLANT MATERIAL FOR ONE FULL YEAR FROM DATE OF FIRM ALL CONTINUED OF LOAM AND SEED.


11. CONTRACTOR SHALL REPER OR REPLACE ANY MATERIALS DAMAGED DURNING CONSTRUCTION PRIOR TO FIRM. ACCEPTANCE.

11. CONTRACTOR SHALL REPAIR OR REPLACE ANY MATERIALS DAMAGED DURING CONSTRUCTION PRIOR T FINAL ACCEPTANCE.

12. CONTRACTOR TO SUBMIT A WATERING SCHEDULE FOR THE SIKTY DAY MAINTENANCE PERIOD FOR REVIEW BY THE LANDSCAPE ARCHITECT AND OWNER FOR ALL PROPOSED PLANT MATERIAL.

14. IN THE EVENT OF A DISCREPANCE REVIEWED HE PLANT OUARITIES SHOWN ON THE PLAN AND IN THE PLANT SCHEDULE, THE QUARTET SHOWN ON THE PLAN SHALL TAKE PRECEDENCE.

15. ILEX VERTICULATA (COMMON WHITERBERRY) PLANTS SHALL CONSIST OF 3 FEMALE AND 1 MALE PLANTS.








LANDSCAPE IMPROVEMENTS
PLANTING PLAN
STURBRIDGE, MA
PREPARED FOR
PAUL GROUARD
129 SHORE ROAD, STURBRIDGE MA 01566

PLANTING PLAN



NATURAL STONE WALKWAY

DETAIL


NOT TO SCALE


SUPPORT NET 12 GAUGE 4"


**X 4" WIRE HOOKED ONTO
PREFORMED CHANNELS ON
POSTS


EXISTING GROUND
SURFACE

**EXISTING GROUND
SURFACE











LANDSCAPE IMPROVEMENTS
DETAILS I
STURBRIDGE, MA
PREPARD FOR
PAUL GIROUARD
129 SHORE ROAD, STURBRIDGE MA 01566

DETAILS I

<u>L-4</u>