

# VINTAGEWOOD


## WOOD SERIES

- Achieve the refined look of wood
- Add warmth to cool materials like glass, metal and block panels
- Versatile corner options available
- Engineered with an integrated rainscreen
- Approved for soffit & angled wall installation
- Compare our wood panel products

### AVAILABLE COLORS



Cedar



# Warm up your project with our Wood Series



## Get the natural look of wood with the unmatched durability of fiber cement.

Nichia provides the look of wood without the drawbacks of natural wood cladding. Built to last, our VintageWood and RoughSawn offer the rich textures of wood while providing color stability and withstanding extreme weather elements. VintageWood exudes modern refinement and works well in both modern and vintage designs. With its earthy appeal, RoughSawn adds rustic sophistication to all types of projects. Both products pair perfectly with glass, metal and block panels, adding a touch of warmth to the coolness of these materials.

VintageWood and RoughSawn are as versatile as they are durable. Our Wood Series panels can install both vertically and horizontally and can be used in interior and exterior settings. Hidden fasteners provide a clean and beautiful look. Creating the perfect match, Nichia gives you the beauty of wood backed by the brawn of fiber cement.

### VintageWood™



BARK



CEDAR

### VintageWood™

<b>DIMENSIONS (NOM. FT. - ACTUAL MM)</b>	18" [4] x 10' [1] (455mm [1] x 3,030mm [1])
<b>THICKNESS (NOM. IN. - ACTUAL MM)</b>	5/8 (16mm)
<b>WEIGHT (LBS. PER PANEL)</b>	57.3
<b>WEIGHT (LBS. PER SQ. FT.)</b>	3.8
<b>EXPOSED COVERAGE (SQ. FT. PER PANEL)</b>	15
<b>PACKAGING (PIECES PER PACK)</b>	2 (30 SQ. FT.)

NOTE: CAN BE INSTALLED HORIZONTALLY OR VERTICALLY

### RoughSawn™



ESPRESSO



TOBACCO







SAGE

### RoughSawn™ - NEW

<b>DIMENSIONS (NOM. FT. - ACTUAL MM)</b>	18" [4] x 10' [1] (455mm [1] x 3,030mm [1])
<b>THICKNESS (NOM. IN. - ACTUAL MM)</b>	5/8 (16mm)
<b>WEIGHT (LBS. PER PANEL)</b>	57.3
<b>WEIGHT (LBS. PER SQ. FT.)</b>	3.8
<b>EXPOSED COVERAGE (SQ. FT. PER PANEL)</b>	15
<b>PACKAGING (PIECES PER PACK)</b>	2 (30 SQ. FT.)

NOTE: CAN BE INSTALLED HORIZONTALLY OR VERTICALLY

**TAKE A DEEPER DIVE INTO OUR WOOD SERIES AT [NICHIA.COM/WOODYOU](http://NICHIA.COM/WOODYOU)**

Product	<b>Trifab® 400 Framing</b> (1-3/4" x 4")	<b>Trifab® VersaGlaze® 450 Framing System</b> 1-3/4" sightline (1-3/4" x 4-1/2")	<b>Trifab® VersaGlaze® 450 Framing System</b> 2" sightline (2" x 4-1/2") (2" x 2-1/4" Veneer)	<b>Trifab® VersaGlaze® 451 Framing System</b> (2" x 4-1/2")
<b>Catalog Section</b>	Framing	Framing	Framing	Framing
<b>Typical Detail</b>				
<b>Applications</b>	Storefront Ribbon Windows Punched Openings	Storefront Ribbon Windows Punched Openings	Storefront Ribbon Windows Punched Openings	Storefront Ribbon Windows Punched Openings
<b>Glass Plane Options</b>	Center	Center Front Back Multi-Plane	Front	Center Front Back Multi-Plane
<b>Infill Options</b>	1/8", 1/4" & 3/8"	1/8", 1/4" & 3/8"	1/8", 1/4" & 3/8"	Up to 1-1/8"
<b>Glazing Options</b>	Inside Glazed Outside Glazed	Inside Glazed Outside Glazed	Inside Glazed Outside Glazed	Inside Glazed Outside Glazed
<b>Thermal</b>	No	No	No	No
<b>SSG</b>	No	Optional	Optional	Optional
<b>Weatherseal</b>	No	Optional	Optional	Optional
<b>2 Color Option</b>	No	No	No	Yes with Front Stick
<b>Integrated Entrance Framing</b>	Yes	Yes	Yes	Yes
<b>Windows Integration</b>	Yes	Yes	Yes	Yes
<b>GLASSvent® Integration</b>	Yes	Yes	Yes	Yes
<b>Fabrication Method</b>	Screw Spline, Shear Block, Stick	Screw Spline, Shear Block, Stick, Continuous Head and Sill	Stick	Screw Spline, Shear Block, Stick, Continuous Head and Sill
<b>Product Description</b>	A 1-3/4" x 4" flush glazed system for 1/4" glass. Designed for quick installation on low rise buildings. It offers design economy with flexibility.	A 1-3/4" x 4-1/2" flush glazed system for 1/4" glass. VersaGlaze® is engineered for design and fabrication versatility with variable glass plane choices, SSG or Weatherseal options and four types of fabrication.	A 2" x 2-1/4" Veneer and a 2" x 4-1/2" Captured, flush glazed system for 1/4" glass with SSG and Weatherseal options. Designed for quick installation on low to mid-rise buildings.	A 2" x 4-1/2" flush glazed system for 1" glass. VersaGlaze® is engineered for design and fabrication versatility with variable glass plane choices, SSG or Weatherseal options, and four types of fabrication.
<b>Testing for Protective Glazing</b>	—	—	—	—
<b>Performance Test Standards</b>	AAMA 501 ASTM E283 ASTM E330 ASTM E331	AAMA 501 ASTM E283 ASTM E330 ASTM E331	AAMA 501 ASTM E283 ASTM E330 ASTM E331	AAMA 501, AAMA 507, AAMA1801, ASTM E283, ASTM E330, ASTM E331, ASTM E1425, NFRC 100/200/500

Laws and building and safety codes governing the design and use of Kawneer products, such as glazed entrance, window, and curtain wall products, vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.  
© 2014, Kawneer Company, Inc.

March 2022 Color of the Month

SW 7069

# Iron Ore

FULL DETAILS 

This cool, deep and mysterious charcoal can lend an air of sophistication when used sparingly in well-lit spaces – or on exteriors.

Get this color in a:



Color Sample



Paint Sample



Interior Paint



Exterior Paint

## Wall Sconce

LBL Windfall Outdoor Sconce



BL - W

To be used with Palettes A, B & C

*Starbucks Design ID #20837*

# Windfall LED Outdoor Wall Sconce

By Visual Comfort Modern



Call Us (877) 445-4486

Windfall LED Outdoor Wall Sconce  
By Visual Comfort Modern

## Product Options

Finish: Black,  
Height: 24 in,  
Voltage: 120 Volt

## Details

May be mounted vertically or horizontally  
IP65 rated for outdoor areas  
Powder coat finishes  
Impact-resistant, UV stabilized frosted acrylic lensing

## Dimensions

24 in Option Fixture: Width 6", Height 24", Depth 4",  
Weight 4.63Lbs

## Lighting

24 in

Lamp Type	LED Built-in
Total Lumens	183.60
Total Watts	20.00
Volts	120
Color Temp	3000 (Soft White)
Average Lifespan (Hours)	60,000
CRI	80
Equivalent Halogen, CFL or LED Bulb Can Be Used	No



Notes:

Prepared  
by:

Prepared for:  
Project:  
Room:  
Placement:  
Approval:

## Additional Details

Product URL:  
<https://www.lumens.com/windfall-led-outdoor-wall-sconce-by-visual-comfort-modern-LBL566201.html>  
Rating: ETL Listed Wet

ITEM#: LBL566201



